



THIS IS GREENFIBER™ LOOSE FILL CELLULOSE INSULATION

Application Coverage Chart/Fact Sheet					GreenFiber Product #INS551LD Loose Fill Cellulose Insulation									
R-Value @ 75° F Mean Temperature	Minimum Thickness (inches)				Maximum Net Coverage (no adjustment for framing)						Gross Coverage (based on 2" x 6" framing on 16" centers)			
	Minimo de Espesor (mm)				Maximo de Recubrimiento Neto (sin ajuste por armazón)						Recubrimiento Bruto (Bosado en armazón de 5.08 cm x 15.24 cm) (2" x 6" en centros de 40.64 cm (16 cm))			
	Installed Insulation Should Not Be Less Than	Espesor después de asentamiento en separaciones y vacios	Thickness After Settling	Aislamiento instalado no deber ser menos de:	Maximum Per Bag Sq. Ft.	Metro cuadrados máximos por bolsa	Minimum Bags Per 1,000 Sq.Ft.	Cantidad Minima de bolsas por 100 metros cuadrados	Minimum Weight (lbs) Per Sq. Ft.	Pesos minimo pro metros cuadrado (Kg)	Maximum Per Bag Sq. Ft.	Metros Cuadrado máximos por bolsa	Minimum Bags Per 1,000 Sq. Ft.	Cantidad minima de bolsas por 100 metros cuadrados
R 13 / RSI 2.29	4.1	104.3	3.7	93.9	55.4	5.148	18	19.4	0.407	1.99	61.1	5.7	16.4	17.6
R 19 / RSI 3.35	5.9	151.1	5.4	136	36.2	3.364	27.6	29.7	0.623	3.04	40	3.7	25	26.9
R 22 / RSI 3.87	6.9	174.3	6.2	156.9	30.7	2.854	32.6	35	0.734	3.58	33.5	3.1	29.8	32.1
R 25 / RSI 4.40	7.8	197.5	7	177.8	26.6	2.473	37.6	40.4	0.847	4.14	28.7	2.7	34.8	37.5
R 30 / RSI 5.28	9.3	236	8.4	212.4	21.7	2.016	46.1	49.6	1.039	5.07	23.1	2.1	43.2	46.6
R 38 / RSI 6.69	11.7	297.3	10.5	267.5	16.6	1.546	60.1	64.7	1.355	6.61	17.5	1.6	57.1	61.5
R 49 / RSI 8.63	15	381	13.5	342.9	12.5	1.163	79.9	86	1.802	8.8	13	1.2	76.8	82.7
R 60 / RSI 10.5	18.3	464.3	16.5	417.9	10	0.926	100.3	107.9	2.261	11.04	10.3	1	97.1	104.6

The coverage chart is based on settled thickness, a normal bag weight of 22.55 lbs and coverage based on the GreenFiber Monarch blowing machine. Settings are not adjustable. Use this chart for estimating purposes only. Job conditions, application techniques and settings on other equipment will influence actual coverage. **DO NOT ADD WATER TO THIS PRODUCT.**

FOR MORE INFORMATION CONTACT GREENFIBER:
800.228.0024 greenfiber.info@us-gf.com

Corporate Office:
 2500 Distribution Street, Suite 200 Charlotte NC 28203
 (p) 800.228.0024 (f) 704.379.0685 www.greenfiber.com

Manufacturing Locations:
 Albany, NY Phoenix, AZ
 Atlanta, GA Sacramento, CA
 Charlotte, NC Salt Lake City, UT
 Delphos, OH Tampa, FL
 East St. Louis, IL Waco, TX
 Norfolk, NE

READ THIS BEFORE YOU BUY
What you should know about R-values

This chart shows the R-value of this insulation. R means resistance to heat flow. The higher the R-value, the greater the insulating power. Compare insulation R-values before you buy. There are other factors to consider. The amount of the insulation you need depends on the climate you live in. Also, your fuel savings from insulation will depend upon the climate, the type and size of your house, the amount of insulation already in your house, and your fuel use patterns and family size. If you buy too much insulation, it will cost you more than what you'll save on fuel. To get the marked R-value, it is essential that this insulation be installed properly.

