



Home Innovation
NGBS GREEN CERTIFIED™

THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS
SANCTUARY® BY GREENFIBER® CELLULOSE INSULATION

MANUFACTURED BY
GREENFIBER

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE
ICC 700 NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.


Michael Luzier – President & CEO

August 21, 2024
Approval Date

August 31, 2025
Expiration Date

CERTIFICATE # 331

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000331

Products: SANCTUARY® by Greenfiber® Cellulose Insulation

Manufacturer: Greenfiber

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2015 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2015 NGBS 604.1	Building materials with Recycled content are used for at least 2 major or 2 minor components.	6	Points awarded for 2 products w/ recycled content. For 6 points, this product and another product with at least 75% recycled content must be used for major components of the building. Lesser points available for lower recycled content in the second product or for use as a minor component.
2015 NGBS 610.1.2.1	A product with improved environmental impact measures compared to another product is selected.	3	Points are available when this product is selected over another option based on LCA analysis. The material to which this product is compared must be suitable and reasonable for the building and local market.
2015 NGBS 901.11	Formaldehyde emissions of insulation is third party certified compliant with accordance with CDPH 01350.	4	Product is used for at least 85% of the wall, ceiling, or floor insulation materials.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONS OF USE TO AWARD POINTS
2020 NGBS 604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	6	Points awarded for 2 products w/ recycled content. For 6 points, this product and another product with at least 75% recycled content must be used for major components of the building. Lesser points available for lower recycled content in the second product or for use as a minor component.
2020 NGBS 610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	3	Points are available when this product is selected over another option based on LCA analysis. The material to which this product is compared must be suitable and reasonable for the building and local market.
2020 NGBS 901.11	At least 85% of wall, ceiling, and floor insulation materials are in accordance with the emission levels of CDPH/EHLB Standard Method v1.1 and third-party certified by an ISO 17065 program. 4 points available.	4	Product is used for at least 85% of the wall, ceiling, or floor insulation materials.



GRESB Scoring Potential

GRESB is a framework widely used by commercial and multifamily organizations that measures the ESG (Environmental, Social, and Governance) performance of a company's real estate portfolio. Certification to the following 2020 NGBS practices indicates that this product potentially contributes to one or more GRESB Indicator(s). For more information, visit www.HomeInnovation.com/ESG and www.GRESB.com.

NGBS Green Certificate #NGBSGCP-000331

Products: SANCTUARY® by Greenfiber® Cellulose Insulation

Manufacturer: Greenfiber

Practice #	Practice Description	GRESB Indicator
2020 NGBS 604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	DMA1 Materials selection requirements
2020 NGBS 610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	DMA2.1 Life cycle assessments
2020 NGBS 901.11	At least 85% of wall, ceiling, and floor insulation materials are in accordance with the emission levels of CDPH/EHLB Standard Method v1.1 and third-party certified by an ISO 17065 program. 4 points available.	DMA1 Materials selection requirements